

Figure 10 is a cross-section of the bridge deck. The diagram shows a cross-section of a bridge deck with a central red line indicating the centerline. The deck is supported by a central pier and two side piers. The dimensions are given in meters: 1.50, 3.30, 3.24, and 1.86. The total width of the deck is 10.00 m. The height of the deck is 0.65 m. The diagram also shows the elevation of the deck and the pier.

[illegible]

Figure 10 shows a longitudinal section of a road with a 2% grade. The road profile is shown with a 2% downward slope. The horizontal distance is divided into segments of 2.10, 3.00, 3.02, and 4.19. The vertical axis is labeled with elevations 85.00 and 80.10. The road is labeled "2%" and "2.1%".

Figure 10.10 shows a cross-section of a road with a 2.5% cross-slope. The road width is divided into four segments: 2.00m, 3.00m, 3.60m, and 2.49m. The total width is 11.09m. The road is shown with a 2.5% slope, and the ground level is indicated by a dashed line. The road surface is shown with a solid line. The road is labeled 'Roadway' and 'Shoulder'.

[illegible]

The diagram shows a cross-section of a road profile. The vertical axis represents elevation in meters, with 600.00 at the top and 601.00 at the bottom. The horizontal axis represents distance. The profile starts at an elevation of 600.00 on the left. It then descends with a 2% slope over a distance of 2.15 meters. This is followed by a horizontal section of 3.00 meters. Then, it descends with a 2% slope over a distance of 3.00 meters. This is followed by a horizontal section of 2.25 meters. Finally, it descends with a 2% slope over a distance of 1.50 meters. The total length of the profile is 12.90 meters. The profile is shown in a cross-section view, with the road surface and the underlying ground indicated by different line styles.

Diagram illustrating the cross-section of a road with a 2% slope. The road width is divided into four segments: 2.01, 3.00, 3.60, and 2.90. The total width is 11.51. The road is labeled "RUE DE LA VILLE" and "RUE DE LA VILLE".

Figure 10.10 shows a cross-section of a road with a 10% grade. The road has a total width of 10.00m. The left side has a 2.10m shoulder and a 3.00m travel lane. The right side has a 3.00m travel lane and a 2.43m shoulder. The road surface is shown with a 10% slope. The diagram is labeled "Figure 10.10" and "Figure 10.10".

FIGURE 10.10

FIGURE 10.11

Technical drawing of a road cross-section. The drawing shows a road profile with a 15% grade on the left side, a 2% slope on the right side, and a 3% slope in the middle. The road width is 3.00m. The total width of the road is 12.19m. The drawing also shows the road's elevation, with a maximum elevation of 865.00m and a minimum elevation of 862.00m. The road is labeled 'RUE DE LA VILLE' and 'RUE DE LA VILLE'.

Diagram illustrating a cross-section of a road with a 2% slope. The road width is divided into four segments: 1.98, 3.00, 3.60, and 2.73. The total width is 11.31. The road is flanked by a 10% slope on the left and a 10% slope on the right. The road surface is labeled 'ROAD' and the ground level is labeled 'GROUND'.

[illegible]

Figure 10.10 shows a cross-section of a road with a 10% grade. The road is divided into four segments with widths of 2.09, 3.00, 3.00, and 2.02. The road surface is shown with a 10% slope. The diagram includes labels for 'Roadway = 10.00', 'Shoulder = 10.00', and 'Shoulder = 10.00'.

Figure 10.10 shows a cross-section of a road with a 10% grade. The road is labeled "Road" and "10%". The horizontal distance is divided into segments of 2.00, 3.00, 3.00, and 2.31. The vertical distance is 0.231. The road width is 10.00. The elevation is 100.00.

BULLE, LE : L'AUTEUR DU PROJET :



Commune de Vuadens

Réaménagement du centre du village

Secteur : Axe 1000/ PR1700 à PR1800 - Rte cantonale Châtel-St-Denis - Bulle

Profils en travers - km 0.000 - 372.68